

Colorado Allergy and Anaphylaxis Emergency Care Plan and Medication Orders

School year 20____ - 20 ____ C.R.S. 22-1-119.5 A treatment plan shall be effective only for the school year in which it is approved.

Student's name: _____ D.O.B.: _____ Grade: _____
 School: _____ Teacher/Classroom: _____
 Allergy to: _____
 History: _____

Place student's photo here

To be completed by healthcare provider:
 Emergency-use epinephrine: 0.1 mg auto-injector 0.15 mg auto-injector 0.3 mg auto-injector
 1 mg nasal spray 2 mg nasal spray
 If symptoms worsen or do not improve in 5 minutes, or if symptoms return, give 2nd dose of epinephrine, if available.
 Antihistamine (if prescribed) medication, dose, route, frequency: _____
 Asthma? No Yes - If yes, be aware of higher risk for severe reaction.
 Self-administer? No Yes - If yes, student has been instructed and is capable of carrying and self-administering own emergency-use epinephrine medication. Note: A trained staff member must be available to administer in the event the student is unable to self-administer for any reason.

If you see this:	Do this:
Green zone: normal activities - no symptoms	
<ul style="list-style-type: none"> Student may participate in all normal activities. 	<ol style="list-style-type: none"> Continue to avoid known allergens. Ensure emergency medications are readily available.
Yellow zone: mild symptoms	
Affecting one body system only: <ul style="list-style-type: none"> Nose: Itchy, runny nose, sneezing Skin: A few hives, mild itch Gut: Mild nausea/discomfort 	<ol style="list-style-type: none"> Stay with student. Give antihistamine (if prescribed above). Alert parent/guardian and school nurse. ⚠ If symptoms spread to a second body system, immediately move to red zone. Continue to monitor closely.
Red zone: severe symptoms	
Two or more body systems with mild symptoms or any severe symptoms in one or more body systems: <ul style="list-style-type: none"> Lung: Short of breath, wheezing, repetitive cough Throat: Tight, hoarse, trouble breathing/swallowing Mouth: Swelling of the tongue and/or lips Heart: Pale, blue, faint, weak pulse, dizzy Skin: Many hives over body, widespread Gut: Vomiting or diarrhea (if combined with other symptoms) Other: Feeling something bad is about to happen, confusion, agitation 	<ol style="list-style-type: none"> Give epinephrine immediately! Call 911! <ul style="list-style-type: none"> Tell 911 dispatch that epinephrine was given. Tell EMS what time epinephrine was given. Stay with student and: <ul style="list-style-type: none"> Monitor student, keeping them lying on their back; if vomiting or difficulty breathing, put student on their side. Call parent/guardian and school nurse. Give 2nd dose if symptoms worsen or do not improve, or if symptoms return, as ordered above (if available). Give other prescribed medications after administering epinephrine (if available). <p>⚠ Important: Do not hesitate to administer epinephrine. Key principle: If allergic reaction affects two body systems, give epinephrine as a first-line treatment.</p>

Healthcare provider name (print): _____ Phone number: _____

Provider signature: _____ Date: _____

I give permission for school personnel to share this information, follow this plan, administer medication and care for my child and, if necessary, contact our health care provider. I assume full responsibility for providing the school with prescribed medication and delivery/monitoring devices and release the school and personnel from any liability in compliance with their Board of Education policies.

Parent/guardian name (print): _____ Phone number: _____

Parent's/guardian signature: _____ Date: _____

School nurse signature: _____ Date: _____

For the school nurse: Self-carry contract on file? No Yes Meal modification form? No Yes

